



Aroma Diffuser



For customer inquiries please write to:
info@medescan.com.au or call 1300 736 330

Please go to www.medescan.com.au
For the latest copy of our User Manual.

The manufacturer reserves the right to alter the
specifications of the product without prior notification.
Copyright © 2010 TLC Diagnostics All Rights Reserved.

Medescan, a product of TLC Diagnostics.

Index

Introduction	Page 3
Features	Page 4
Safety precautions	Page 5
Operating precautions	Page 6
Know your Medescan Diffuser	Page 7
Choosing a suitable location	Page 8
Filling instructions	Page 9
Operating instructions	Page 10
Cleaning instructions	Page 11
Technical specifications	Page 12
Troubleshooting	Page 14
Notes	Page 15

Introduction

The Medescan Aroma Diffuser allows you to create the perfect environment with your choice of water or oil soluble aroma therapy and lighting.

The Medescan Aroma Diffuser, atomises the water and aroma combination into ultra-fine particles of 1-5um using the principle of ultrasonic high-frequency oscillation, and diffuses the cool aromatised water vapour into the air for you to enjoy.

As an added bonus, the Medescan Aroma Diffuser lets you perfect the ambience of your environment. You can simply chose your favourite colour from the 7 LED colour options or you can enjoy the changing coloured lights option.

It is essential to use the Medescan humidifier Rainbow Mist in the way it was intended. You are therefore advised to read this instruction manual and the safety precautions carefully before use.

Utilising the Medescan Rainbow Mist in any way other than depicted in this manual may void the warranty of your unit.

Features

1. The Medescan Aroma Diffuser is specifically designed to diffuse your favourite aroma using ultrasonic high frequency oscillation.
2. The Aroma Diffuser features a Seven Colour LED night light. The light can be set to cycle through all seven colours or set to your favourite colour.
3. The Aromatic Diffuser allows you to enhance your personal space by diffusing your favourite oil or water based aroma.
4. The silent operation will ensure you get the best night sleep possible.
5. The Medescan Aroma Diffuser will give you 6 hours of continuous use if run at maximum flow rate.
6. The Medescan Aroma Diffuser's twelve months replacement warranty will give you great peace of mind.

Safety Precautions

1. Do not replace the power cord without authorization.
2. Do not plug into the power with wet hands; otherwise there is a risk of electric shock.
3. Ensure the power is switched off when moving or handling the unit.
4. Do not touch the Oscillator upon starting; it will cause injury and pain.
5. Do not disassemble the unit to avoid an electric shock.
6. Any modification or refitting to this unit may cause damage to the diffuser and hazard to the user. Any such modifications will void the warranty.
7. If the unit generates any abnormal sound or odour during operation, please shut it down immediately and disconnect the power plug.
8. All repairs must be completed by an authorised repairman.
9. Before cleaning or moving the unit, please shut it down and disconnect the power plug.
10. Do not operate the unit with an empty water tank.
11. Do not scratch the ultrasonic oscillator with a hard object.
12. Do not let water flow or splash into the base to avoid damaging the internal parts.
13. Place the unit on a firm, flat surface.
14. Place the unit away from any heat source, such as a furnace, avoid direct sunlight.
15. Avoid direct spraying of mist onto the furniture and electric appliances.

Operating Precautions

1. Do not add hot water of over 45°C to the water tank.
2. When the room temperature is below 0°C, please empty the water tank and water bowl. Icing of water can damage the components.
3. Do not place metals, chemicals and detergents into the water tank.
4. When there is excess water in the water bowl, do not move the unit to avoid overflow problems.
5. Keep the Medescan Aroma Diffuser away from moisture sensitive furniture and electric appliances.
6. When the unit is not used for a long time, please unplug from the power point.
7. Never pour out the water remaining in the water bowl without first turning the power off.
8. When the water tank is full, the unit can operate for 5 - 6 hours at maximum flow rate.

Know your Medescan Aroma Diffuser



Cover



Inner Lid



Water tank

Mist On/Off

Light control




Power adaptor

Choosing a suitable location



Caution

Do not direct the Medescan Aroma Diffuser vapour flow at walls or furniture which is sensitive to moisture. Please place the Medescan Aroma Diffuser in a suitable position as indicated below



Filling Instructions



Caution

Please ensure the Medscan Aroma Diffuser is unplugged from the power before filling

1. Lift to remove outer cover



2. Lift to remove inner lid




3. Fill with water to Max line



Operating Instructions

1. Once the diffuser is filled with water, add your favourite aroma to the water tank and replace the inner lid and outer cover
2. Plug into the power point
3. Press the mist control switch to start the misting.

Simple Touch Operation



4. To switch off the misting, simply touch the Mist switch again.

Controlling the LED light

Simply touch the Light switch and lights will turn on into the cycle 7 colours mode. Touch again and it will change to the Purple light. Touch again and the light will change to the next colour as shown in the chart below. Keep pressing until the lights turn off and the cycle starts again.



Cleaning Instructions



Before caring or cleaning your diffuser, please switch off the power and unplug from the mains.

Caring for the Body

1. Remove the outer cover
2. Remove the inner lid
3. Using a clean cloth, wipe accumulating dirt and excess water from the bowl top.

Caring for the oscillator

1. Wipe off the excess water from the water tank
2. With a soft toothbrush, clean the metal surface of the oscillator
3. Using a clean cloth, wipe off the excess water from the water tank
4. Dry thoroughly

External Cleaning of diffuser

Rinse a soft cloth in warm water of below 45° C, wipe off any surface stains. The outer cover can be washed directly under water

Storage of diffuser

Clean the unit as recommended and store in a dry place.

Technical Specifications

Item Code	HTJ-2055
Power	Input AC 100-240V; Output DC 24V 500mA
Power Rating	10 Watts
Mist Volume	16 mL/h
Tank Capacity	100 mL
Continuous use:	6 hours
Power cord	Approximtley 1.5m
Dimensions	78 (W) x 78 (D) x 137 (H) mm
Weight	300g

Troubleshooting

Indicator not illuminated. No mist

The transformer adapter is not properly plugged or the power switch is not turned on. Plug the transformer adaptor and turn on the power

Indicator illuminated. No mist

There is no water in the water tank. Refill the water tank

Indicator illuminated. No mist

The water level in the tank may be too high. Pour out some water until below the Max line

The mist has foul odour

New unit smell or the water in the tank is not clean. Open the water tank, allow to air dry. Clean with mild detergent and try again

Minimal mist output

There is scale formation on the transducer oscillator or the water is dirty or has been stored for too long. Clean the transducer oscillator and replace with clean water.

